

ACRYLIC SUPERMATT BOARDS

surface by:

senosan®

AM1800TopMatt




**SCRATCH
RESISTANT**



**CHEMICAL
RESISTANT**



**NO FINGER
PRINTS**



Excellent supermatt MDF panels with the best-in-class lacquered acrylic film boasting smooth & silk-touch finish and superior surface properties such as increased scratch, chemical & UV resistance. The new and improved formula of the acrylic film means the surface has extreme anti-fingerprint properties and unparalleled stain resistance making the panels ideal for vertical applications in residential and public areas with high wearing requirements.

SURFACE

senosan® AM1800TopMatt AF

BOARD DIMENSIONS

2800x1300 mm

BOARD THICKNESS

18,7 mm (1-sided) | 19,1 mm (2-sided)

CORE OPTIONS

MDF (E1 | E05 | CARB Phase 2 | F**** | FSC), Plywood

CORE THICKNESS OPTIONS

18 mm (standard) | other thicknesses (upon request)

DECORS



TECHNICAL SPECIFICATIONS

Colors in stock Sofia	Dimensions mm	Thickness mm		Edgings Thickness/ Width mm
		Face side senosan® Back side PP foil	Face side senosan® Back side senosan®	
		MDF 18 mm		
Snow White 1982	2800 x 1300	18,7	19,1	0,8/23
Magnolia 7496		18,7	19,1	0,8/23
Cappuccino 7498		18,7	19,1	0,8/23
Cashmere 85468		18,7	19,1	0,8/23
Grey 85383		18,7	19,1	0,8/23
Dark Grey 85382		18,7	19,1	0,8/23
Black 8421		18,7	19,1	0,8/23
Graphite Metallic 85688		18,7	19,1	0,8/23

Other dimensions, thicknesses, and core materials are available upon customer request.

ADVANTAGES



SCRATCH RESISTANT

No scratches from fingernails or regular use making it ideal for kitchen fronts or other demanding vertical applications



CHEMICAL RESISTANT

Surface is chemical and stain resistance making it even applicable in laboratories and hospitals



SMOOTH SILK TOUCH

Excellent supermatt surface quality results in pleasant and smooth silk touch feeling



NO FINGERPRINTS

Even if greasy hands leave fingerprints, these can be cleaned easily with a moist cloth



SUPERMATT

Supermatt surface that ensures extremely low light reflectivity meaning no reflection even at low angles



WATER RESISTANT

Front and back side of board act as a water barrier making it impossible for liquid to reach the core via either surface



UV RESISTANT

Increased UV resistance due to the special thin UV lacquer means the surface colour will remain the same in time



ANTIBACTERIAL

Surface has improved antibacterial properties for hygienic everyday use



EASY TO CLEAN

Advanced technical features of the surface make the board very easy to clean with common detergents



BETTER ALTERNATIVE TO LACQUER

Enhanced technical characteristics and superior touch feeling coupled with lower price make it ideal alternative to lacquer

APPLICATIONS



FRONT ELEMENTS




FURNITURE




INTERIOR DOORS



WALL PANELS




DELIVERY OPTIONS



1-SIDED BOARD

Front side is senosan® AM1800TopMatt AF, while the back side is PP foil




2-SIDED BOARD

Both sides are the same material - senosan® AM1800TopMatt AF



FURNITURE COMPONENTS

Ready furniture components with matching or suitable edgings



MASTER PROFIL is a brand of Petar Mihaylov & Co Ltd

Petar Mihaylov & Co Ltd
Iztochna Tangenta 110 Street
Sofia, 1592
Bulgaria

T +359 29794400
T +359 887 350 499

info@master-profil.com
www.master-profil.com/mp



Manufactured in
Bulgaria, European Union



Petar Mihaylov & Co Ltd makes every effort to maintain the accuracy and quality of the information provided on this catalogue. However, Petar Mihaylov & Co Ltd cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained on this catalogue is for general guidance only. You should neither act, nor refrain from action, on the basis of any such information.

The copyright of all content on this catalogue is owned by Petar Mihaylov & Co Ltd and/or the various suppliers of our raw materials. No part of the MASTER PROFIL catalogue may be changed, reproduced, stored in or transmitted on any website or medium without the prior written permission of Petar Mihaylov & Co Ltd.