



SUSTONABLE

The Sustainable Engineered Stone

Adhesive & joints recommended

Adhesive & joints recommended



Adhesives



Maplex PU 45

Multi-purpose, rapid-hardening sealant and adhesive

Ultrabond Eco PU 2K

Two component, solvent-free, high performance, non-slip polyurethane adhesive with very low emission level of volatile organic compounds (VOC) for ceramic and stone tiles,

Kerapoxy Adhesive

Two component epoxy adhesive for ceramic, porcelain and natural agglomerate stone.

Surfaces	Maplex PU 45	Ultrabond Eco PU 2K	Kerapoxy Adhesive
Plasterboard	✓	✓	✓
Sandstone	✓	✓	✓
Fermacell	✓	✓	✓
Plywood	✓	✓	✓
Galvanized steel	✓	✓	✓

Joints



Kerapoxy CQ Kerapoxy cleaner
Two-component epoxy grout with a bacteriostatic agent and Bioblock technology.

Ultra color Plus

Fast setting and drying flexible polymer modified anti efflorescence for joints from 2-20 mm

Sealants

Mapeguard ST

Mapeguard ST is a fast, easy way to cover seams and walls u turns to provide waterproofing.

Idrostop Mastic


Single component adhesive for the installation of Idrostop

Cutting & Drilling

Cutting

Flex CS 60

Wet Stone Cutting Circular Saw



Festool

Festool with closed diamond saw blade for tile saws.

Drilling

Diameters up to 10 mm

Use diamond or tungsten carbide drill bit.

Diameters > 10 mm

Hollow drill with diamond



Head Office R&D and Sales

Edificio Krono, sequia Faitanar, 46200 Paiporta
(Valencia) [Spain](#).

[Location map](#)

Tel. +34 960 212 465

Fiscal Office

The CurveTT Vasumweg 58, 1033 SC.
Amsterdam. [Netherlands](#).

[Location map](#)

Tel + 31 628 565 175

Factory

Polatli Organize Sanayi Bölgesi 212. Cadde
No:406900 Polatli, Ankara, [Turkey](#).

[Location map](#)

Communications contact

Enri Pujadas: epujadas@sustonable.com

www.sustonable.com

Any
questions?